



# ONE WAY



## ROUND HEAD/MACHINE SCREWS

1 8 - 8 S T A I N L E S S S T E E L

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
4-40	1/4	5.44014RS	A2	No Matching Driver Needed
	5/16	5.440516RS	A2	
	3/8	5.44038RS	A2	
	1/2	5.44012RS	A2	
	3/4	5.44034RS	A2	
	1	5.4401RS	A3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
6-32	3/16	5.632316RS	A2	No Matching Driver Needed
	1/4	5.63214RS	A2	
	3/8	5.63238RS	A2	
	1/2	5.63212RS	A2	
	3/4	5.63234RS	A3	
	1	5.6321RS	A4	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
8-32	1/4	5.83214RS	A3	No Matching Driver Needed
	3/8	5.83238RS	A3	
	1/2	5.83212RS	A4	
	3/4	5.83234RS	A4	
	1	5.8321RS	A4	
	1-1/4	5.832114RS	A5	
	1-1/2	5.832112RS	A7	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-32	3/8	5.10338RS	A4	No Matching Driver Needed
	1/2	5.10312RS	A4	
	5/8	5.10358RS	A5	
	3/4	5.10334RS	A5	
	1	5.1031RS	A6	
	1-1/4	5.103114RS	A7	
	1-1/2	5.103112RS	A9	
	2	5.1032RS	B4	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	1/4	5.10214RS	A4	No Matching Driver Needed
	3/8	5.10238RS	A4	
	1/2	5.10212RS	A4	
	5/8	5.10258RS	A5	
	3/4	5.10234RS	A5	
	1	5.1021RS	A6	
	1-1/4	5.102114RS	A7	
	1-1/2	5.102112RS	A9	
	2	5.1022RS	B4	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
1/4-20	1/2	5.14212RS	A9	No Matching Driver Needed
	5/8	5.14258RS	A9	
	3/4	5.14234RS	A9	
	7/8	5.14278RS	B4	
	1	5.1421RS	B5	
	1-1/4	5.142114RS	B8	
	1-1/2	5.142112RS	B8	
	2	5.1422RS	C5	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
5/16-18	3/4	5.51634RS	C3	No Matching Driver Needed
	1	5.5161RS	C6	
	1-1/2	5.516112RS	D1	
	2	5.5162RS	D4	

*ONE-WAYS are easily installed with a standard screwdriver. Removal may be possible with the "Un-Do-It" removal tools. See tools on page 33.*



## TRUSS HEAD/MACHINE SCREWS

1 8 - 8 S T A I N L E S S S T E E L

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-32	1/4	5.10314TS	A4	No Matching Driver Needed
	3/8	5.10338TS	A5	
	1/2	5.10312TS	A6	
	3/4	5.10334TS	A7	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
*10-24	1/2	5.10212TS	A6	No Matching Driver Needed
	3/4	5.10234TS	A7	
	1	5.1021TS	A9	
	1-1/4	5.102114TS	B1	
	1-1/2	5.102112TS	B3	
	2	5.1022TS	B4	

\*Note: These screws may be used with the Female One-Way sex bolts. See page 24.




ALL PRICES PER 100

TAMPERPROOF  
SCREW CO., INC. OF NEW YORK

TO ORDER CALL 516-931-1616 OR FAX 516-931-1654

Manufacturers of Snake Eyes®





## ROUND HEAD/ SHEET METAL SCREWS

TYPE A, 18-8 STAINLESS STEEL

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#4	3/8	5.4A38RS	A1	No Matching Driver Needed
	1/2	5.4A12RS	A1	
	3/4	5.4A34RS	A2	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#6	1/2	5.6A12RS	A2	No Matching Driver Needed
	3/4	5.6A34RS	A3	
	1	5.6A1RS	A4	
	1-1/4	5.6A114RS	A5	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#8	1/2	5.8A12RS	A4	No Matching Driver Needed
	3/4	5.8A34RS	A4	
	1	5.8A1RS	A4	
	1-1/4	5.8A114RS	A5	
	1-1/2	5.8A112RS	A7	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#10	1/2	5.10A12RS	A4	No Matching Driver Needed
	3/4	5.10A34RS	A6	
	1	5.10A1RS	A7	
	1-1/4	5.10A114RS	A7	
	1-1/2	5.10A112RS	A9	
	2	5.10A2RS	B4	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#12	1/2*	5.12A12PS	A6	No Matching Driver Needed
	5/8*	5.12A58PS	A7	
	3/4*	5.12A34PS	A7	
	1*	5.12A1PS	A9	
	1-1/4*	5.12A114PS	B3	
	1-1/2*	5.12A112PS	B4	
	2*	5.12A2PS	B8	
	2-1/2	5.12A212RS	C9	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#14	1/2	5.14A12RS	B1	No Matching Driver Needed
	3/4	5.14A34RS	B4	
	1	5.14A1RS	B8	
	1-1/4	5.14A114RS	C1	
	1-1/2	5.14A112RS	C1	
	2	5.14A2RS	C5	
	3	5.14A3RS	C9	

\*Available in Pan Head only.



## OVAL HEAD/COUNTERSUNK MACHINE SCREWS

18-8 STAINLESS STEEL

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
6-32	1/2	5.63212OS	A2	No Matching Driver Needed
	3/4	5.63234OS	A3	
	1	5.6321OS	A4	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
8-32	1/2	5.83212OS	A3	No Matching Driver Needed
	3/4	5.83234OS	A4	
	1	5.8321OS	A5	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-32	1/2	5.10312OS	A4	No Matching Driver Needed
	3/4	5.10334OS	A5	
	1	5.1031OS	A6	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	1/2	5.10212OS	A4	No Matching Driver Needed
	3/4	5.10234OS	A5	
	1	5.1021OS	A6	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
1/4-20	1/2	5.14212OS	B1	No Matching Driver Needed
	1	5.1421OS	B8	
	1-1/2	5.142112OS	C1	

*ONE-WAYS are easily installed with a standard screwdriver. Removal may be possible with the "Un-Do-It" removal tools. See tools on page 33.*

### QUANTITY DISCOUNTS ON ONE-WAY SECURITY SCREWS

(Per Size) At 1m screws: less 10% • At 5m screws: less 20% • At 10m screws: less 30% • At 15m: Call for quote





# ONE WAY



## OVAL HEAD/COUNTERSUNK SHEET METAL SCREWS

TYPE A, 18-8 STAINLESS STEEL

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#8	1/2	5.8A12OS	A3	No Matching Driver Needed
	3/4	5.8A34OS	A4	
	1	5.8A1OS	A5	
	1-1/4	5.8A114OS	A7	
	1-1/2	5.8A112OS	A9	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#10	1/2 UC	5.10A12UOS	A4	No Matching Driver Needed
	3/4	5.10A34OS	A5	
	1	5.10A1OS	A7	
	1-1/4	5.10A114OS	A7	
	1-1/2	5.10A112OS	A9	

Note: "UC" denotes undercut head.

# ONE WAY SEX BOLT



## ONE WAY SEX BOLTS

18-8 STAINLESS STEEL

One Way Sex Bolts are only available as 10-24 Truss Heads in 18-8 Stainless Steel only. They may be ordered as a complete set, consisting of a male and female part, and sized according to the **Total Partition Size**. Posts fit 1/4" diameter holes.

Or, these screws can be ordered **individually** as separate male and female parts.

See accompanying chart for dimension details.

To order by partition size: priced per set.  
Each set consisting of 2 screws (1 male, 1 female):


DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	3/4	5X.10234PS	E1	No Matching Driver Needed
	1	5X.1021PS	E3	
	1-1/4	5X.102114PS	E6	

To order individual male and female parts:

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	1/2 Male	5X.10212MS	B7	No Matching Driver Needed
	3/4 Male	5X.10234MS	B7	
	1/2 Female	5X.10212FS	D1	
	3/4 Female	5X.10234FS	D4	
	1 Female	5X.1021FS	D8	


DIMENSIONS OF SETS				
M	+	F	=	P
1/2"	+	1/2"	=	3/4"
3/4"	+	3/4"	=	1"
3/4"	+	1"	=	1-1/4"

Note: M denotes male, F denotes female, P denotes partition size.



Male


Female



ONE-WAY Slotted Truss Head

Partition Size

Manufacturers of Snake Eyes®



ALL PRICES PER 100

See page 33 for matching tools.

TAMPERPROOF SCREW CO., INC. OF NEW YORK

TO ORDER CALL 516-931-1616 OR FAX 516-931-1654