



SNAKE EYES®



PAN HEAD/MACHINE SCREWS

1 8 - 8 STAINLESS STEEL

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
4-40	1/4	1.44014PS	A9	4
	3/8	1.44038PS	A9	
	1/2	1.44012PS	A9	
	5/8	1.44058PS	A9	
	3/4	1.44034PS	A9	
	1	1.4401PS	A9	
	1-1/4	1.440114PS	B1	
	1-1/2	1.440112PS	B3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
6-32	1/4	1.63214PS	A9	6
	3/8	1.63238PS	A9	
	1/2	1.63212PS	A9	
	5/8	1.63258PS	A9	
	3/4	1.63234PS	A9	
	1	1.6321PS	A9	
	1-1/4	1.632114PS	B1	
	1-1/2	1.632112PS	B3	
	2	1.6322PS	B4	
3	1.6323PS	D1		

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
8-32	1/4	1.83214PS	B1	8
	3/8	1.83238PS	B1	
	1/2	1.83212PS	B1	
	5/8	1.83258PS	B1	
	3/4	1.83234PS	B1	
	1	1.8321PS	B1	
	1-1/4	1.832114PS	B3	
	1-1/2	1.832112PS	B4	
	2	1.8322PS	B8	
	2-1/2	1.832212PS	C3	
	3	1.8323PS	C6	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-32	1/4	1.10314PS	B3	10
	3/8	1.10338PS	B3	
	1/2	1.10312PS	B3	
	5/8	1.10358PS	B3	
	3/4	1.10334PS	B3	
	1	1.1031PS	B3	
	1-1/4	1.103114PS	B5	
	1-1/2	1.103112PS	B8	
	2	1.1032PS	C3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	1/4	1.10214PS	B3	10
	3/8	1.10238PS	B3	
	1/2	1.10212PS	B3	
	5/8	1.10258PS	B3	
	3/4	1.10234PS	B3	
	1	1.1021PS	B3	
	1-1/4	1.102114PS	B5	
	1-1/2	1.102112PS	B8	
	2	1.1022PS	C3	
	3	1.1023PS	D1	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
12-24	1/4	1.12214PS	B8	12
	1/2	1.12212PS	B8	
	3/4	1.12234PS	B8	
	1	1.1221PS	B8	
	1-1/4	1.122114PS	C1	
	1-1/2	1.122112PS	C3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
1/4-20	3/8	1.14238PS	C2	1/4
	1/2	1.14212PS	C2	
	5/8	1.14258PS	C2	
	3/4	1.14234PS	C2	
	1	1.1421PS	C3	
	1-1/4	1.142114PS	C4	
	1-1/2	1.142112PS	C6	
	2	1.1422PS	C8	
	2-1/4	1.142214PS	D1	
	2-1/2	1.142212PS	D4	
	3	1.1423PS	D8	
	4	1.1424PS	E3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
1/4-28	1/2	1.14812PS	C3	1/4
	5/8	1.14858PS	C3	
	3/4	1.14834PS	C3	
	1	1.1481PS	C5	
	1-1/2	1.148112PS	C6	




ALL PRICES PER 100


See page 29 for matching tools.

TAMPERPROOF
SCREW CO., INC. OF NEW YORK

TO ORDER CALL 516-931-1616 OR FAX 516-931-1654

Manufacturers of Snake Eyes®





TRUSS HEAD/MACHINE SCREWS

1 8 - 8 S T A I N L E S S S T E E L

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
6-32	3/8	1.63238TS	A9	6
	1/2	1.63212TS	A9	
	3/4	1.63234TS	A9	
	1	1.6321TS	A9	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
8-32	1/2	1.83212TS	B1	8
	5/8	1.83258TS	B1	
	3/4	1.83234TS	B1	
	1	1.8321TS	B1	
	1-1/4	1.832114TS	B3	
	1-1/2	1.832112TS	B4	
	2-1/2	1.832212TS	C3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-32	1/2	1.10312TS	B3	10
	5/8	1.10358TS	B3	
	3/4	1.10334TS	B3	
	1	1.1031TS	B3	
	1-1/2	1.103112TS	B8	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	1/2	1.10212TS	B3	10
	3/4	1.10234TS	B3	
	1	1.1021TS	B3	
	1-1/2	1.102112TS	B8	
	1-3/4	1.102134TS	C1	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
1/4-20	3/8	1.14238TS	C2	1/4
	1/2	1.14212TS	C2	
	3/4	1.14234TS	C2	
	1	1.1421TS	C3	
	1-1/4	1.142114TS	C4	
	1-1/2	1.142112TS	C6	
	2	1.1422TS	C8	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
5/16-18	3/4	1.51634TS	C9	1/4
	1	1.5161TS	D1	
	1-1/4	1.516114TS	D4	
	1-1/2	1.516112TS	D8	
	2	1.5162TS	D8	
	2-1/2	1.516212TS	E1	
	3	1.5163TS	E4	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
3/8-16	1/2	1.38612TS	D8	1/4
	5/8	1.38658TS	D8	
	3/4	1.38634TS	D8	
	1	1.3861TS	E1	
	1-1/4	1.386114TS	E1	
	1-1/2	1.386112TS	E3	
	2	1.3862TS	E3	
	2-1/2	1.386212TS	E5	
	3	1.3863TS	E6	
	3-1/2	1.386312TS	E7	



FLAT HEAD/MACHINE SCREWS

1 8 - 8 S T A I N L E S S S T E E L

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
4-40	1/4	1.44014FS	A9	4
	3/8	1.44038FS	A9	
	1/2	1.44012FS	A9	
	1	1.4401FS	A9	
	1-1/2	1.440112FS	B3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
6-32	3/16 UC	1.632316UFS	A9	6
	1/4 UC	1.63214UFS	A9	
	1/4	1.63214FS	A9	
	3/8	1.63238FS	A9	
	1/2	1.63212FS	A9	
	5/8	1.63258FS	A9	
	3/4	1.63234FS	A9	
	1	1.6321FS	A9	
	1-1/4	1.632114FS	B1	
	1-1/2	1.632112FS	B3	
	2	1.6322FS	B4	
	3	1.6323FS	D1	

Note: "UC" denotes undercut head.



Standard Flat Head



Undercut Flat Head

QUANTITY DISCOUNTS ON SPANNER SCREWS

(Per Size) At 1m screws: less 10% • At 5m screws: less 20% • At 10m screws: less 30%





SNAKE EYES®



FLAT HEAD/MACHINE SCREWS (CON'T)

1 8 - 8 S T A I N L E S S S T E E L

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
8-32	1/4 UC	1.83214UFS	B1	8
	5/16 UC	1.832516UFS	B1	
	3/8 UC	1.83238UFS	B1	
	3/8	1.83238FS	B1	
	1/2 UC	1.83212UFS	B1	
	1/2	1.83212FS	B1	
	5/8 UC	1.83258UFS	B1	
	3/4	1.83234FS	B1	
	1	1.8321FS	B1	
	1-1/4	1.832114FS	B3	
	1-1/2	1.832112FS	B4	
	1-3/4	1.832134FS	B5	
	2	1.8322FS	B8	
	2-1/2	1.832212FS	C3	
3	1.8323FS	C6		

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-32	3/8 UC	1.10338UFS	B3	10
	1/2 UC	1.10312UFS	B3	
	1/2	1.10312FS	B3	
	5/8	1.10358FS	B3	
	3/4	1.10334FS	B3	
	1	1.1031FS	B3	
	1-1/4	1.103114FS	B5	
	1-1/2	1.103112FS	B8	
	2	1.1032FS	C3	
	3	1.1033FS	D1	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	5/16 UC	1.102516UFS	B3	10
	3/8 UC	1.10238UFS	B3	
	3/8	1.10238FS	B3	
	1/2 UC	1.10212UFS	B3	
	1/2	1.10212FS	B3	
	5/8	1.10258FS	B3	
	3/4	1.10234FS	B3	
	1	1.1021FS	B3	
	1-1/4	1.102114FS	B5	
	1-1/2	1.102112FS	B8	
	2	1.1022FS	C3	
	2-1/2	1.102212FS	C6	
	3	1.1023FS	D1	

Note: "UC" denotes undercut head.

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
12-24	1/2 UC	1.12212UFS	B8	12
	3/4	1.12234FS	B8	
	1	1.1221FS	B8	
	1-1/2	1.122112FS	C3	
	2	1.1222FS	C6	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
1/4-20	3/8 UC	1.14238UFS	C2	1/4
	1/2 UC	1.14212UFS	C2	
	1/2	1.14212FS	C2	
	5/8	1.14258FS	C2	
	3/4	1.14234FS	C2	
	7/8	1.14278FS	C3	
	1	1.1421FS	C3	
	1-1/4	1.142114FS	C4	
	1-1/2	1.142112FS	C6	
	2	1.1422FS	C8	
	2-1/4	1.142214FS	D1	
	2-1/2	1.142212FS	D4	
	3	1.1423FS	D8	
4	1.1424FS	E3		

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
1/4-28	1/2	1.14812FS	C3	1/4
	3/4	1.14834FS	C3	
	1	1.1481FS	C5	
	1-1/2	1.148112FS	C6	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
5/16-18	3/4	1.51634FS	C9	1/4
	1	1.5161FS	D1	
	1-1/2	1.516112FS	D8	
	2	1.5162FS	D8	
	2-1/2	1.516212FS	E1	
	3	1.5163FS	E4	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
3/8-16	1/2 UC	1.38612UFS	E1	1/4
	3/4	1.38634FS	E1	
	1 UC	1.3861UFS	E1	
	1	1.3861FS	E1	
	1-1/2	1.386112FS	E3	
	2	1.3862FS	E3	
	2-1/2	1.386212FS	E5	
	3	1.3863FS	E6	




ALL PRICES PER 100

See page 29 for matching tools.

TAMPERPROOF
SCREW CO., INC. OF NEW YORK

TO ORDER CALL 516-931-1616 OR FAX 516-931-1654

Manufacturers of Snake Eyes®





FLAT HEAD/MACHINE SCREWS

B R A S S

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
6-32	3/16 UC	1.632316UFB	B3	6
	3/8	1.63238FB	B3	
	1/2	1.63212FB	B3	
	3/4	1.63234FB	B3	
	1	1.6321FB	B3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
8-32	1/4 UC	1.83214UFB	B4	8
	5/16 UC	1.832516UFB	B4	
	1/2	1.83212FB	B4	
	3/4	1.83234FB	B4	
	1	1.8321FB	B4	
1-1/2	1.832112FB	B5		

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	3/8	1.10238FB	B5	10
	1/2	1.10212FB	B5	
	3/4	1.10234FB	B5	
	1	1.1021FB	B5	
	1-1/2	1.102112FB	B8	
2	1.1022FB	C1		

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
12-24	1/2 UC*	1.12212UFC	C1	12

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
1/4-20	1/2	1.14212FB	C3	1/4
	3/4	1.14234FB	C3	
	1	1.1421FB	C3	
	1-1/4	1.142114FB	C6	
	1-1/2	1.142112FB	C6	

*Note: Available in Silicon Bronze only.

Note: "UC" denotes undercut head.



Standard Flat Head



Undercut Flat Head



OVAL HEAD/MACHINE SCREWS

1 8 - 8 S T A I N L E S S S T E E L

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
6-32	1/4 UC	1.63214UOS	B3	6
	5/16 UC	1.632516UOS	B3	
	3/8 UC	1.63238UOS	B3	
	3/8	1.63238OS	B3	
	1/2	1.63212OS	B3	
	5/8	1.63258OS	B3	
	3/4	1.63234OS	B3	
	1	1.6321OS	B3	
	1-1/4	1.632114OS	B4	
	1-1/2	1.632112OS	B5	
2	1.6322OS	B9		

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
8-32	1/2	1.83212OS	B4	8
	3/4	1.83234OS	B4	
	1	1.8321OS	B4	
	1-1/4	1.832114OS	B5	
	1-3/8	1.832138OS	B7	
	1-1/2	1.832112OS	B7	
	2	1.8322OS	C2	
	2-1/2	1.832212OS	C6	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-32	1/2	1.10312OS	B5	10
	5/8	1.10358OS	B5	
	3/4	1.10334OS	B5	
	1	1.1031OS	B5	
	1-1/4	1.103114OS	B7	
	1-1/2	1.103112OS	B9	
	2	1.1032OS	C6	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	3/8	1.10238OS	B5	10
	1/2	1.10212OS	B5	
	5/8	1.10258OS	B5	
	3/4	1.10234OS	B5	
	1	1.1021OS	B5	
	1-1/4	1.102114OS	B7	
	1-1/2	1.102112OS	B9	
2	1.1022OS	C6		

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
1/4-20	1	1.1421OS	C4	1/4
	1-1/2	1.142112OS	C6	
	2	1.1422OS	C8	

QUANTITY DISCOUNTS ON SPANNER SCREWS


(Per Size) At 1m screws: less 10% • At 5m screws: less 20% • At 10m screws: less 30%



TAMPERPROOF
SCREW CO., INC. OF NEW YORK



SNAKE EYES®



OVAL HEAD/MACHINE SCREWS


B R A S S

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
6-32	3/8	1.63238OB	B5	6
	1/2	1.63212OB	B5	
	3/4	1.63234OB	B5	
	1	1.63210B	B5	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
8-32	1/2	1.83212OB	B7	8
	3/4	1.83234OB	B7	
	1	1.83210B	B7	
	1-1/4	1.832114OB	B9	
	1-1/2	1.832112OB	B9	
	2	1.83220B	C2	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-32	1/2	1.10312OB	B9	10
	5/8	1.10358OB	B9	
	3/4	1.10334OB	B9	
	1	1.10310B	B9	
	1-1/4	1.103114OB	C2	
	1-1/2	1.103112OB	C2	
	2	1.10320B	C7	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
10-24	3/8	1.10238OB	B9	10
	1/2	1.10212OB	B9	
	3/4	1.10234OB	B9	
	1	1.10210B	C2	
	1-1/2	1.102112OB	C7	
	2	1.10220B	C7	



TRUSS HEAD/ SHEET METAL SCREWS

TYPE A, 18-8 STAINLESS STEEL

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#8	1/2	1.8A12TS	B1	8
	3/4	1.8A34TS	B1	
	1	1.8A1TS	B1	
	1-1/4	1.8A114TS	B3	
	1-1/2	1.8A112TS	B4	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#10	3/8*	1.10AB38TS	B3	10
	1/2	1.10A12TS	B3	
	3/4	1.10A34TS	B3	
	1	1.10A1TS	B3	
	1-1/4	1.10A114TS	B5	
	1-1/2	1.10A112TS	B8	
	2	1.10A2TS	C1	

*Note: Sheet Metal Screws Type AB.




ALL PRICES PER 100

See page 29 for matching tools.

TAMPERPROOF
SCREW CO., INC. OF NEW YORK

TO ORDER CALL 516-931-1616 OR FAX 516-931-1654

Manufacturers of Snake Eyes®





PAN HEAD/SHEET METAL SCREWS

TYPE A, 18-8 STAINLESS STEEL

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#4	1/4	1.4A14PS	A9	4
	3/8	1.4A38PS	A9	
	1/2	1.4A12PS	A9	
	3/4	1.4A34PS	B1	
	1	1.4A1PS	B3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#6	1/4*	1.6AB14PS	A9	6
	3/8	1.6A38PS	A9	
	1/2	1.6A12PS	A9	
	5/8	1.6A58PS	A9	
	3/4	1.6A34PS	A9	
	1	1.6A1PS	A9	
	1-1/4	1.6A114PS	B1	
	1-1/2	1.6A112PS	B3	
	2	1.6A2PS	B4	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#8	3/8*	1.8AB38PS	B1	8
	1/2	1.8A12PS	B1	
	5/8	1.8A58PS	B1	
	3/4	1.8A34PS	B1	
	1	1.8A1PS	B1	
	1-1/4	1.8A114PS	B4	
	1-1/2	1.8A112PS	B4	
	1-3/4	1.8A134PS	B7	
	2	1.8A2PS	B8	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#10	3/8*	1.10AB38PS	B3	10
	1/2	1.10A12PS	B3	
	5/8	1.10A58PS	B3	
	3/4	1.10A34PS	B3	
	1	1.10A1PS	B3	
	1-1/4	1.10A114PS	B5	
	1-1/2	1.10A112PS	B8	
	1-3/4	1.10A134PS	C1	
	2	1.10A2PS	C1	

*Note: Sheet Metal Screws Type AB.

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#12	1/2	1.12A12PS	B8	12
	3/4	1.12A34PS	B8	
	1	1.12A1PS	B8	
	1-1/4	1.12A114PS	C1	
	1-1/2	1.12A112PS	C1	
	2	1.12A2PS	C6	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#14	1/2*	1.14AB12PS	C2	1/4
	3/4	1.14A34PS	C2	
	1	1.14A1PS	C2	
	1-1/4	1.14A114PS	C4	
	1-1/2	1.14A112PS	C5	
	2	1.14A2PS	C6	



FLAT HEAD/SHEET METAL SCREWS

TYPE A, 18-8 STAINLESS STEEL

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#4	1/4 UC*	1.4AB14UFS	A9	4
	3/8	1.4A38FS	A9	
	1/2	1.4A12FS	A9	
	3/4	1.4A34FS	B1	
	1	1.4A1FS	B3	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#6	3/8*	1.6AB38FS	A9	6
	1/2	1.6A12FS	A9	
	5/8	1.6A58FS	A9	
	3/4	1.6A34FS	A9	
	1	1.6A1FS	A9	
	1-1/4	1.6A114FS	B1	
	1-1/2	1.6A112FS	B3	
	2	1.6A2FS	B4	

Note: "UC" denotes undercut head.

*Note: Sheet Metal Screws Type AB.

QUANTITY DISCOUNTS ON SPANNER SCREWS

(Per Size) At 1m screws: less 10% • At 5m screws: less 20% • At 10m screws: less 30%





SNAKE EYES®



FLAT HEAD/ SHEET METAL SCREWS (CON'T)

TYPE A, 18-8 STAINLESS STEEL

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#8	3/8 UC	1.8A38UFS	B1	8
	1/2	1.8A12FS	B1	
	5/8	1.8A58FS	B1	
	3/4	1.8A34FS	B1	
	1	1.8A1FS	B1	
	1-1/4	1.8A114FS	B3	
	1-1/2	1.8A112FS	B4	
	2	1.8A2FS	B8	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#10	1/2 UC *	1.10AB12UFS	B3	10
	5/8	1.10A58FS	B3	
	3/4	1.10A34FS	B3	
	1	1.10A1FS	B3	
	1-1/4	1.10A114FS	B5	
	1-1/2	1.10A112FS	B8	
	1-3/4	1.10A134FS	C1	
	2	1.10A2FS	C1	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#12	1/2 UC	1.12A12UFS	B8	12
	3/4	1.12A34FS	B8	
	1	1.12A1FS	B8	
	1-1/4	1.12A114FS	C1	
	1-1/2	1.12A112FS	C1	
	2	1.12A2FS	C6	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#14	1/2 UC	1.14A12UFS	C3	14
	3/4	1.14A34FS	C3	
	1	1.14A1FS	C3	
	1-1/4	1.14A114FS	C4	
	1-1/2	1.14A112FS	C5	
	2	1.14A2FS	C6	

*Note: Sheet Metal Screws Type AB.

Note: "UC" denotes undercut head.



OVAL HEAD/SHEET METAL SCREWS

TYPE A, 18-8 STAINLESS STEEL

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#6	1/2	1.6A12OS	B4	6
	5/8 UC	1.6A58UOS	B4	
	3/4	1.6A34OS	B4	
	1	1.6A1OS	B4	
	1-1/4	1.6A114OS	B5	
	1-1/2	1.6A112OS	B7	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#8	1/2	1.8A12OS	B5	8
	3/4	1.8A34OS	B5	
	1	1.8A1OS	B5	
	1-1/4	1.8A114OS	B7	
	1-1/2	1.8A112OS	B9	
	2	1.8A2OS	C2	

DIAMETER	LENGTH	PART NO.	PRICE CODE	DRIVER SIZE
#10	1/2 UC	1.10A12UOS	B7	10
	3/4	1.10A34OS	B7	
	1	1.10A1OS	B7	
	1-1/4	1.10A114OS	B9	
	1-1/2	1.10A112OS	C2	

Note: "UC" denotes undercut head.




ALL PRICES PER 100

See page 29 for matching tools.

TAMPERPROOF
SCREW CO., INC. OF NEW YORK

TO ORDER CALL 516-931-1616 OR FAX 516-931-1654

Manufacturers of Snake Eyes®




NUTS

SPANNER NUTS/REMOVABLE

ZINC ALLOY (NON-FERROUS RUST RESISTANT)


DIAMETER	PART NO.	PRICE CODE	DRIVER SIZE
1/4-20	IN.142	E4	1ND
5/16-18	IN.516	E4	
3/8-16	IN.386	E4	
M6	IN.M6	E4	
M8	IN.M8	E4	
M10	IN.M10	E4	



Spanner Nuts

SPANNER NUT BIT


SIZE	PART NO.	PRICE CODE
Bit Only (1/4" Hex)	1NB.14	S6
Bit Only (5/16" Hex)	1NB.516	S6



Spanner Nut Bit

SPANNER NUT DRIVER COMPLETE

	PART NO.	PRICE CODE
Driver	1ND	T2



Spanner Nut Driver Complete


BREAKAWAY NUTS/ NON-REMOVABLE

ALUMINUM


DIAMETER	PART NO.	SIZE	PRICE CODE
10-24	BAN.102	7/16" Hex	C6
1/4-20	BAN.142	9/16" Hex	D1
5/16-18	BAN.516	5/8" Hex	D4
3/8-16	BAN.386	3/4" Hex	E3

Note: Uses standard wrench for installation

Breakaway Nuts



Before



After

QUANTITY DISCOUNTS ON NUTS AVAILABLE UPON REQUEST



FOR ADDITIONAL INFORMATION LOG ON TO WWW.TAMPERPROOF.COM

TAMPERPROOF
SCREW CO., INC. OF NEW YORK